


AXIOM® Vector

Straight Perimeter Trim



Axiom Vector trim



This trim coordinates perfectly with Axiom® Vector ceiling panels to mimic the 1/4" reveal with a narrow vertical fin profile.

KEY SELECTION ATTRIBUTES

- Recommended for use with full-size Vector ceiling panels; preserves factory-cut Vector edge detail
- Adjustable Trim Clip (Item 7329 purchased separately) allows for integration of Axiom Vector with WoodWorks® and MetalWorks™ panels that drop greater than 3/8" below the grid flange. Reference installation instructions for requirements.
- Incorporates the sophisticated grid-hiding visual of a Vector ceiling with a perimeter
- Factory precision mitering and custom lengths available as special order
- Axiom trim is part of the Sustain™ portfolio and meets the most stringent industry sustainability compliance standards today
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim (Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning)
- Recommended for use with full-size Vector ceiling panels; preserves factory-cut Vector edge detail
- Standard 90° factory-mitered inside corner and outside corner posts available
- Colors coordinate with Armstrong® ceiling and suspension systems
- Extruded aluminum trim provides more crisp edge detailing compared to conventional roll-formed steel systems
- Compatible with Armstrong® exposed suspension systems and Drywall Grid Systems
- Custom slotting, perforating, and cutouts available

COLORS Due to printing limitations, shade may vary from actual product.

Standard



WOOD-LOOK FINISHES



TechLine 877 276-7876
armstrongceilings.com/axiomvector

Armstrong®
 World Industries

AXIOM® Vector

Straight Perimeter Trim



LEED® WELL™ LBC

50% RECYCLED CONTENT

energy management
construction waste mgmt
regional materials
design for flexibility
EPD
recyclable/extended producer resp.
biobased materials
recycled content
sourcing of raw materials
material ingredient reporting
low emitting materials
lighting quality
acoustics


LOCATION DEPENDENT

Calculate sustainability with Ecomedes
armstrongceilings.com/ecomedes

Well Building Standard™ (WELL)
Living Building Challenge® (LBC)

VISUAL SELECTION

	Item No. ◆	Description	Dimensions (Inches)	Unit of Measure	INCLUDED ACCESSORIES		Factory Miter Minimum*
					AXTBC**	AXSPICE2	
AXIOM® Vector Straight	AX2VESTR_ _ _	2" Straight	120 × 3/4 × 2-7/16"	PC	5	1	21
	AX4VESTR_ _ _	4" Straight	120 × 3/4 × 4"	PC	5	2	21
	AX6VESTR_ _ _	6" Straight	120 × 3/4 × 5-13/16"	PC	5	2	21
	AX8VESTR_ _ _	8" Straight	120 × 3/4 × 7-13/16"	PC	5	2	21



◆ Add the 3-letter type and color suffix to the item number when specifying or ordering (e.g. AX8VESTR H A _), add an extra digit "3" before the color suffix if paint is required inside and outside of trim (e.g. AX8VESTR 3 H A _)

* Factory Mitered Minimums refers to a cut that is made at an angle other than 90 degrees to achieve field-assembled corners.

**AX-V-TBC can be ordered in lieu of AXTBC when necessary, see section details below for examples

VISUAL SELECTION

	Item No. ◆	Description	Length" × Depth	Profile Height
AXIOM® Vector Corner Posts	AX2VEISCP_ _ _ _	2" Axiom Vector Inside Corner Post	3/4" × 3/4"	2-7/16"
	AX2VEOSCP_ _ _ _	2" Axiom Vector Outside Corner Post	3/4" × 3/4"	2-7/16"
	AX4VEISCP_ _ _ _	4" Axiom Vector Inside Corner Post	3/4" × 3/4"	4"
	AX4VEOSCP_ _ _ _	4" Axiom Vector Outside Corner Post	3/4" × 3/4"	4"
	AX6VEISCP_ _ _ _	6" Axiom Vector Inside Corner Post	3/4" × 3/4"	5-13/16"
	AX6VEOSCP_ _ _ _	6" Axiom Vector Outside Corner Post	3/4" × 3/4"	5-13/16"
	AX8VEISCP_ _ _ _	8" Axiom Vector Inside Corner Post	3/4" × 3/4"	7-13/16"
	AX8VEOSCP_ _ _ _	8" Axiom Vector Outside Corner Post	3/4" × 3/4"	7-13/16"
AXIOM Vector Pre-Mitered Corners	AX2VEQSIS_ _ _ _	2" Axiom Vector Inside QS Corner	12" × 3/4"	2-7/16"
	AX2VEQSOS_ _ _ _	2" Axiom Vector Outside QS Corner	12" × 3/4"	2-7/16"
	AX4VEQSIS_ _ _ _	4" Axiom Vector Inside QS Corner	12" × 3/4"	4"
	AX4VEQSOS_ _ _ _	4" Axiom Vector Outside QS Corner	12" × 3/4"	4"
	AX6VEQSIS_ _ _ _	6" Axiom Vector Inside QS Corner	12" × 3/4"	5-13/16"
	AX6VEQSOS_ _ _ _	6" Axiom Vector Outside QS Corner	12" × 3/4"	5-13/16"
	AX8VEQSIS_ _ _ _	8" Axiom Vector Inside QS Corner	12" × 3/4"	7-13/16"
	AX8VEQSOS_ _ _ _	8" Axiom Vector Outside QS Corner	12" × 3/4"	7-13/16"

PACKAGING

Pcs/Ctn		
4	<p>Axiom Vector Outside Corner Post</p>	<p>Axiom corner posts eliminate angled miter cuts at corners for a fast and easy installation.</p>
4		
4		
4		
4		
4		
4		
4		
1	<p>Axiom Vector Pre-mitered Inside Corner</p>	<p>Axiom factory-mitered inside and outside corner pieces are created to match your Axiom trim channel order. Two 12" pieces are field-assembled to form one 45° mitered corner.</p>
1		
1		
1		
1		
1		
1		
1		

For use with specialty ceilings with grid offset larger than 3/8"

ACCESORIES

	Item No. ◆	Description	
Accessories	AXSPICE2	Splice Plate with Setscrews	
	AXTBC	T-Bar Connection Clip	
	AX-V-TBC**	T-Bar Clip for Vector® panel	
	7239	Adjustable Trim Clip	

**AX-V-TBC can be ordered in lieu of AXTBC when necessary, see section details below for examples

TechLine 877 276-7876
armstrongceilings.com/axiomvector

AXIOM® Vector

Straight Perimeter Trim



LEED® WELL™ LBC

50%

RECYCLED CONTENT

NUM

energy management construction waste mgmt regional materials design for flexibility ALUMI-EPD

recyclable/biobased materials producer resp. recycled content


location dependent

Calculate sustainability with Ecomedes armstrongceilings.com/ecomedes


Well Building Standard™ (WELL) Living Building Challenge® (LBC)

source of raw materials material ingredient reporting low emitting materials lighting quality acoustics


SECTION DETAILS CAD drawings available on armstrongceilings.com/axiom




① Full Size Vector Ceiling Panel with Axiom Vector Perimeter Trim




② Full Size Vector Panel with Inverted Axiom Vector Perimeter Trim



③ Cut Vector Panel with Inverted Axiom Perimeter Trim



④ Cut Tegular Panel with Inverted Axiom Vector Perimeter Trim



⑤ Full Size Tegular Panel with Inverted Axiom Vector Perimeter Trim

PHYSICAL DATA

Material
Commercial quality 6063 aluminum alloy

Surface Finish
3SC - 360 Painted Standard Colors (reference colors listed above)
3ZB/3ZW - 360 Painted Blizzard/Charcoal Finish
3RAL - 360 Painted RAL Colors
3XX - 360 Painted Custom Colors
SC - Standard Colors (reference colors listed above)
ZW/ZB - Blizzard/Charcoal Finish
RAL - RAL
XX - Custom Colors
ZZ - Wood-look
YY - Architectural Film Finish

Cleaning & Disinfecting
Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning

Design Considerations
Physical product samples for standard and custom colors are available upon request. Please refer to the physical product sample prior to making a final selection. While we strive to ensure exact color matches, various factors such as differences in materials, texture, substrate porosity, painting processes, lighting, and observer subjectivity can all affect how paint colors appear on ceiling and wall panels, suspension systems, and trim products. Due to these and other differences, ceiling and wall panels, trim products, and suspension systems with the same color name will coordinate but may not be an exact color match. Product is dye-lotted. Order sufficient initial quantities and attic stock to minimize possible color variation. All acoustical grid and Axiom trim accessories (a.k.a. clips) are supplied as unpainted items. Exposed clips will need to be field painted after installation, if required for the project.

This ensures accessories meet the tested performance criteria and adhere to AWI installation instructions and warranted products or systems.

Warranty
10-Year Limited Warranty; 30-Year System Warranty

Profile
Four standard height profiles available with 3/4" horizontal flange(s)

Cross Tee/Main Beam Interface
Flush fit

End Detail
Splice with screws